






Safety Data Sheet dated 22/10/2015, version 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
Trade name: PM-660 AQUA-STOP
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
Recommended use:
Adhesives, sealants.
Uses advised against:
No uses advised against.
- 1.3. Details of the supplier of the safety data sheet
Company:
BONET ESPECIALITATS HIDROQUÍMIQUES, S.L.
C/Holanda, 41. Pol.Ind.Pla de Llerona.
C.P.08520 Les Franqueses del Vallés (Spain)
info@behqsl.com
TELF: 93.846.53.36
FAX: 93.846.78.21
Competent person responsible for the safety data sheet:
laboratorio@behqsl.com
- 1.4. Emergency telephone number
In case of poisoning call the Spanish National Institute of Toxicology: +34 91 562 04 20

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
EC regulation criteria 1272/2008 (CLP)
 -  Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.
 -  Danger, Eye Dam. 1, Causes serious eye damage.
 -  Warning, STOT SE 3, May cause respiratory irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Symbols:



Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statements:

P102+P405 Keep out of reach of children. Store locked up.

P280 Wear protective gloves and eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER.

P501 Dispose of contents/container in accordance with applicable regulations.

Safety Data Sheet PM-660 AQUA-STOP

Special Provisions:

- PACK1 The packing must be featured by a safety lock for children.
- PACK2 The packing must have tactile indications of danger for blind people.

Contents:

Silicic acid, sodium salt

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards




SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
≥ 50% - < 60%	Silicic acid, sodium salt	CAS: 1344-09-8	 3.2/2 Skin Irrit. 2 H315
		EC: 215-687-4	 3.8/3 STOT SE 3 H335
		REACH No.: 01-21194487	 3.3/2 Eye Irrit. 2 H319
		25-31-XXXX	

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

- Remove contaminated clothing immediately and dispose off safely.
- OBTAIN IMMEDIATE MEDICAL ATTENTION.

In case of eyes contact:

- After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
- Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment: None

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media:
Water, carbon dioxide (CO₂).
- Extinguishing media which must not be used for safety reasons:
None in particular.

5.2. Special hazards arising from the substance or mixture

- Do not inhale explosion and combustion gases.
- Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Safety Data Sheet PM-660 AQUA-STOP

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - Wear personal protection equipment.
 - Remove all sources of ignition.
 - Wear breathing apparatus if exposed to vapours/dusts/aerosols.
 - Provide adequate ventilation.
 - Use appropriate respiratory protection.
 - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
 - Retain contaminated washing water and dispose it.
 - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
 - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections
 - See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes and inhalation of dusts/vapours.
 - Use localized ventilation system.
 - No smoking. Keep away from food, drink and animal feed.
 - Use appropriate personal protective equipment. Refer to paragraph 8.
 - Follow legislation on safety and health at work.
 - Prevent entry of unauthorized persons.
- 7.2. Conditions for safe storage, including any incompatibilities
 - As a general storage conditions, it should be avoided sources of heat, radiation, electricity and food contact. Store according to local legislation.
 - Store between 5 and 35 °C in a dry and well ventilated place.
 - Store into the original container. Keep the container properly sealed and labeled.
 - Keep away from incompatible materials: see paragraph 10.
- 7.3. Specific end use(s)
 - None in particular

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
 - No occupational exposure limit available
 - DNEL Exposure Limit Values
 - N.A.
 - PNEC Exposure Limit Values
 - N.A.
- 8.2. Exposure controls
 - Eye protection:
 - Use close fitting safety goggles, don't use eye lens.
 - Protection for skin:
 - Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.
 - Protection for hands:

Safety Data Sheet PM-660 AQUA-STOP

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Clear viscous liquid	--	--
Odour:	Odourless	--	--
Odour threshold:	Not applicable (odourless)	--	--
pH:	11.5 - 12.0	--	--
Melting point / freezing point:	0 °C	--	--
Initial boiling point and boiling range:	100 °C	--	--
Flash point:	Not available	--	--
Evaporation rate:	Not available	--	--
Solid/gas flammability:	Not flammable	--	--
Upper/lower flammability or explosive limits:	Not applicable	--	--
Vapour pressure:	2,37 kPa (20 °C)	--	--
Vapour density:	Not available	--	--
Relative density:	1.49 - 1.51 (20 °C)	--	--
Solubility in water:	Soluble in water in all proportions	--	--
Solubility in oil:	Not Relevant	--	--
Partition coefficient (n-octanol/water):	Not applicable (inorganic substance)	--	--
Auto-ignition temperature:	Not applicable (not flammable)	--	--
Decomposition temperature:	Not available	--	--
Viscosity:	Not available	--	--
Explosive properties:	No explosive	--	--
Oxidizing properties:	Non oxidizing	--	--

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not available	--	--
Fat Solubility:	Not available	--	--
Conductivity:	Not available	--	--
Substance Groups relevant properties	Not Relevant	--	--

Safety Data Sheet PM-660 AQUA-STOP

SECTION 10: Stability and reactivity

- 10.1. Reactivity
Stable under normal conditions
- 10.2. Chemical stability
Stable under normal conditions
- 10.3. Possibility of hazardous reactions
None
- 10.4. Conditions to avoid
Stable under normal conditions.
- 10.5. Incompatible materials
Strong acids.
- 10.6. Hazardous decomposition products
None.

SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
Toxicological information of the mixture:
N.A.

Toxicological information of the main substances found in the mixture:
N.A.

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

- 12.1. Toxicity
Adopt good working practices, so that the product is not released into the environment.
- 12.2. Persistence and degradability
N.A.
- 12.3. Bioaccumulative potential
N.A.
- 12.4. Mobility in soil
N.A.
- 12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects
None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.
Waste should not be disposed of through the sewer.

SECTION 14: Transport information

- 14.1. UN number

Safety Data Sheet PM-660 AQUA-STOP

- Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
N.A.
- 14.3. Transport hazard class(es)
N.A.
- 14.4. Packing group
N.A.
- 14.5. Environmental hazards
N.A.
- 14.6. Special precautions for user
N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
No

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
- Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
Restrictions related to the product:
Restriction 3
Restrictions related to the substances contained:
No restriction.
- Where applicable, refer to the following regulatory provisions :
Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.
Regulation (EC) nr 648/2004 (detergents).
1999/13/EC (VOC directive)
- Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II): N.A.
- 15.2. Chemical safety assessment
No

SECTION 16: Other information

- Full text of phrases referred to in Section 3:
H315 Causes skin irritation.
H335 May cause respiratory irritation.
H319 Causes serious eye irritation.

Paragraphs modified from the previous revision:

- SECTION 1: Identification of the substance/mixture and of the company/undertaking
- SECTION 2: Hazards identification
- SECTION 3: Composition/information on ingredients
- SECTION 4: First aid measures
- SECTION 6: Accidental release measures
- SECTION 7: Handling and storage

Safety Data Sheet PM-660 AQUA-STOP

SECTION 8: Exposure controls/personal protection
 SECTION 9: Physical and chemical properties
 SECTION 11: Toxicological information
 SECTION 12: Ecological information
 SECTION 13: Disposal considerations
 SECTION 14: Transport information
 SECTION 15: Regulatory information

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
 Commission of the European Communities
 SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
 Nostrand Reinold
 CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date.
 It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to
 the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of
 Dangerous Goods by Road.
 CAS: Chemical Abstracts Service (division of the American Chemical
 Society).
 CLP: Classification, Labeling, Packaging.
 DNEL: Derived No Effect Level.
 EINECS: European Inventory of Existing Commercial Chemical Substances.
 GefStoffVO: Ordinance on Hazardous Substances, Germany.
 GHS: Globally Harmonized System of Classification and Labeling of
 Chemicals.
 IATA: International Air Transport Association.
 IATA-DGR: Dangerous Goods Regulation by the "International Air Transport
 Association" (IATA).
 ICAO: International Civil Aviation Organization.
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"
 (ICAO).
 IMDG: International Maritime Code for Dangerous Goods.
 INCI: International Nomenclature of Cosmetic Ingredients.
 KSt: Explosion coefficient.
 LC50: Lethal concentration, for 50 percent of test population.
 LD50: Lethal dose, for 50 percent of test population.
 LTE: Long-term exposure.
 PNEC: Predicted No Effect Concentration.
 RID: Regulation Concerning the International Transport of Dangerous Goods
 by Rail.
 STE: Short-term exposure.
 STEL: Short Term Exposure limit.
 STOT: Specific Target Organ Toxicity.
 TLV: Threshold Limiting Value.
 TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.
 (ACGIH Standard).
 WGK: German Water Hazard Class.